




T5 8W 840 16X288 Emergency

Article number: 145957

BAI T5 G5 16X288mm 8W/33 4000K Specfill Emergency lighting Fluorescent lamp

These lamps are specially designed for high-frequency emergency operation, and are also a perfect fit and a premium solution in any other T5 Miniature application. The robust cathode design of these lamps ensure very good reliability at low operating power in emergency mode as well as extending the lifetime in normal operation with use of an EVSA to 5.000 hours. The average lifetime without EVSA will be ± 2500 hours.



General ETIM properties

ETIM group	Lamps
ETIM class	Fluorescent lamp
Name	T5 8W 840 16X288 Emergency
Brand	Bailey
Productseries	Fluorescent
Producttype	T5 8W

ETIM specifications

Socket	G5
Lamp power [W]	8
Length [mm]	288
Tube diameter [mm]	16
Colour temperature [K]	4000
Colour of light	840
Lamp shape	Rod
Lamp efficacy [lm/W]	47.5
Colour rendering index CRI	80-89
Colour of light according to EN 12464-1	Neutral white 3300-5300 K
Luminous flux [lm]	380
Ring diameter [mm]	0
Internal reflector	No
Beam angle [°]	360
Colour	White
Application	General
Splitter protection	No
Ignition strip	No
Fast ignition	No
Starterless operation	No
Full spectrum lamp	No
Suitable for explosion proof luminaires	No
Suitable for emergency lighting	Yes
Double-walled	No
For application at low temperatures	No
Weighted energy consumption in 1000 hours [kWh]	8
Average nominal lifetime [h]	5000
Lamp designation	T5
Energy efficiency class according to EU regulation 2019/2015	G

Alternative articles



FT008CW
TL T5 G5 288MM 8W 4000K




50200231044
Lumilux T5 G5 8W 840 CW
Emergency

Complementary articles



144059

VS ELXs116.903 Electronic
Ballast 5/7/9/10/11/16W



146978

TCI 137945HTC BCC 116 4-16W
EVSA