




Ceiling / Wall Lamp Metal Trio E27 Bronze Antique

Article number: 144875

BAI Ceiling / Wall Lamp Metal Trio E27 Bronze Antique CLI 130x125mm Max 60W

This metal lampholder is suitable for E27 lamps and can be mounted on both wall and ceiling. The lamp can be turned into the plastic sleeve that is on the inside



General ETIM properties

ETIM group	Luminaires
ETIM class	Ceiling-/wall luminaire
Name	Ceiling / Wall Lamp Metal Trio E27 Bronze Antique
Brand	Bailey
Productseries	BaiLum E27
Producttype	LAMP METAL TRIO

ETIM specifications

Lamp holder	E27
Housing colour	Bronze
With movement sensor	No
With light sensor	No
Width [mm]	125
Length [mm]	136
Nominal voltage [V]	220 - 240
Impact strength	IK02
Dimmable	No
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
Suitable for light line configuration	No
Suitable for workplace according to EN 12464-1	No
Lamp type	LED exchangeable
With light source	No
Suitable for emergency lighting	No
Suitable for number of light sources	1
Housing material	Aluminium
Material cover	Without cover
Type of grid	None
Voltage type	AC
Type of control gear	Not required
With control gear	No
Exchangeable control gear	No
Dimming 0-10 V	No
Dimming 1-10 V	No
Dimming DALI-2	No
Dimming DALI	No
Dimming DMX	No
Dimming DSI	No
Dimming potentiometer (integrated)	No
Dimming manufacturer's proprietary system	No
Dimming mains voltage modulation	No
Dimming phase cut-off (trailing edge)	No
Dimming phase cut-on (leading edge)	No
Dimming programmable	No
Dimming RF	No
Dimming Touch and Dim	No
Dimming Zigbee	No

Dimming with push-button	No
Light distributor	None
Light distribution	Symmetric
Beam angle	Open beam/diffuse
Light outlet	Direct
Degree of protection (NEMA)	Other
Protection class according to IEC 61140	II
Luminaire with limited surface temperature, sign "D" according to EN 60598-2-24	No
Covering of the luminaire with thermally insulating material possible	No
With air slots	No
Filament test according to IEC 60695-2-11	None
Suitable for lamp power [W]	1 - 60
Max. system power [W]	60
Constant light output (CLO)	No
Height/depth [mm]	125
Outer diameter [mm]	136
Type of wiring	Ending
Number of poles	2
Conductor cross section [mm²]	0.75
Connection type	Screwed terminal
Colour of light adjustable	No
Luminous flux adjustable	No
Beam angle adjustable	No
Operation by Bluetooth	No
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
IFTTT support available	No
Suitable for wall mounting	Yes
Compatible with Casambi	No
Meets min. EIA lifetime criterion L90 (at 50,000 hours at tq = 25 °C)	No
Suitable for clamp-mounting	No
With mounting material	Yes
Containing product according to 2019/2020/EU	No
Degree of protection (IP), rear side	Other
Degree of protection (IP), front side	IP20
Emergency power supply system	None
Emergency function monitoring system	None
With switch	No
With presence detector	No
Ball-proof according to DIN 18032-3	No

Alternative articles



144873

Ceiling / Wall Lamp Metal Trio
E27 Black



144874

Ceiling / Wall Lamp Metal Trio
E27 White

Complementary articles



143620

SPIRALED Basic G45 E27 DIM
3W (20W) 190lm 822 Clear



143621

SPIRALED Basic G45 E27 DIM
3W (18W) 165lm 820 Gold