



## Portobello

Benedito Design

Table lamp Portobello LED 2.1W 2700K TOUCH DIMMING Black 137lm

### Technical features

- Luminaire total power: 2.1W
- Real lumens: 137
- Real lm/W: 65
- Correlated Colour Temperature (CCT): 2700K
- Lens / reflector angle: FLOOD 81°
- Structure material: ABS
- Structure finish: Black
- Diffuser material: Methacrylate
- Diffuser finish: Sandblasted
- Voltage / frequency: 5VDC 1000mA
- Dimming protocol: TOUCH DIMMING
- Useful life: 50,000h L80B20
- Warranty: 5 years



### Luminotechnic features

- TM30 RG: 97
- TM30 RF: 85
- Melanopic ratio: 0.480
- CRI: 92
- MacAdam steps: 3
- Photobiological risk: RG1
- UGR crosswise: 22.9
- UGR lengthwise: 22.9

Lampholder	Quantity	Light source power (W)	Correlated Colour Temperature (CCT)
LED	1	2.1W	2700K





Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



## Portobello

Benedito Design

Table lamp Portobello LED 2.1W 2700K TOUCH DIMMING Black 137lm

### Emergency module features

Battery type: Lithium ion

### Logistics



x 9

Net weight (kg): 0.39

Packaged weight (kg): 0.81

Packaging: 155mm x 155mm x 320mm

### Light application



Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.



## Portobello

Benedito Design

Table lamp Portobello LED 2.1W 2700K TOUCH DIMMING Black 137lm

### Accessories included



Charging cable

### Optional accessories



71-8332-05-00

Accessorie Cocktail Charger Black

Structure material: Polycarbonate + ABS

Dimensions: 66 x 110 x 22

Net weight (kg): 0.52

Image may not match reference. LedsC4 reserves the right to amend any of the product's components. The data related to flux, power and colour temperature may be subject to changes made by the manufacturer.