

Pax Flex I 5/550, black, pivoting, Momento II™

Cat. Part	25-2023
Number	
EAN 13	7391477520232
SE EL (SEG)	9411521
SE VVS (RSK)	8754445
NO EL (EFO)	5810661
NO VVS (NRF)	6553189
FI VVS (LVI)	5280915
DK EL (DB)	2085721
DK VVS (VVS)	331165811
FI EL (SNRO)	8133347



- Pivoting arms in a small area
- Momento II™ timer with the possibility of app control
- Matt black finish

**Flex I, 5 arms 560 mm individually pivotable.
Momento II™ timer with the possibility of app
control. 50W. Matt black finish.**

Functions


Delay Timer, Run on Timer

Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	50
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Wireless Control Option	Bluetooth LE
Protection (IP)	IP 44
Heat Output, electrical products (W)	50
Unpackaged Product Width (mm)	560
Unpackaged Product Height (mm)	600
Unpackaged Product Depth (mm)	112
Material	Steel
Environmental Certificate	WEEE, REACH
Etim Code	EC003624

Måttskiss

Flex I5, 562x600



Flex I in matt black finish has individually pivoting arms that you can move as you wish, either to maximise your drying capability or to make Flex I as compact as possible. The tubes are straight, which makes it easy to hang up and take down your towels.

You can order your Flex I in several configurations. Choose anything from two to six individually pivoting arms to 180°, meaning you can have it set both on the right and left.

The lacquered steel construction is very stable with metal brackets and the effect is 50W. The towel warmer can be

mounted right or left-hand. The towel warmer comes complete with Momento II™ bracket for concealed electrical installation placed at the bottom.

The built-in Momento II™ timer can be controlled via the app or manually. Via the app it is also possible to set different power levels, set schedules when the towel dryer will heat and pair with Pax Norte bathroom fan. Then the towel warmer switches on automatically when the fan's humidity sensor detects an increased humidity level, for example when you start showering.



Cat 8340-5