

Pax Flex U 3/450, pivoting

Cat. Part	25-1015
Number	
EAN 13	7391477510158
SE EL (SEG)	9411139
SE VVS (RSK)	8754356
NO EL (EFO)	5800637
NO VVS (NRF)	8245331
FI VVS (LVI)	5280867
DK EL (DB)	2006697
DK VVS (VVS)	331164214
FI EL (SNRO)	8133274



Flex U, easy to vary


- Easy to reconfigure

**Flex U, 3 arms 450 mm individually pivotable.
On/Off function. 41W. Chrome-plated steel.**

Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	41
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Protection (IP)	IP 44
Heat Output, electrical products (W)	41
Unpackaged Product Width (mm)	455
Unpackaged Product Height (mm)	760
Unpackaged Product Depth (mm)	112
Material	Steel
Etim Code	EC003624

Måttskiss



Flex U has 3 arms that are 450 mm long. The towel warmer has excellent drying capabilities. The individually pivoting U-shaped arms allow towels to hang freely in the air when needed. Construction is very sturdy, with metal consoles.

Flex U is made of chromed steel and the effect is 41W. The towel warmer can be mounted right or left-hand.

Flex U 3/450 is also available with Momento II™ timer funktion.



Cat 8340-5