

# PRODUCT DATASHEET

## SF BLKH RING 250 WT

SURFACE BULKHEAD RING | Attachable cover ring (IK10)



---

### Product features


- Cover ring for Surface Bulkhead
- Available for 250 mm and 300 mm Bulkhead version
- Available in black and white color
- Impact resistance: IK10



TECHNICAL DATA

Dimensions & Weight

Diameter	258 mm
Height	57.0 mm
Product weight	210.00 g



Materials & Colors

Product color	White
---------------	-------

Application & Mounting

Mounting location	Luminaire
Replaceable light source	No


Certificates & Standards

Luminaire with limited surface temperature, "D sign"	No
--	----



EQUIPMENT / ACCESSORIES

- Anti-theft screw included


DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	SURFACE BULKHEAD

---

Photometric and lighting design files		Document name
	IES file (IES)	SF BLKH RING 250 WT 3000K
	IES file (IES)	SF BLKH RING 250 WT 4000K

---

Tender texts		Document name
	Tender documents	SURFACE BULKHEAD RING 250 WT-EN

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075399334	Folding box 1	272 mm x 262 mm x 66 mm	315.00 g	4.70 dm <sup>3</sup>
4058075399341	Shipping box 8	550 mm x 285 mm x 285 mm	3241.00 g	44.67 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**References / Links**

– For Guarantee see [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.