

Mounting material - PSD-S ME BT 110 - 2700156


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Foot with integrated tube, 110 mm high, black



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 491471
GTIN	4046356491471
Weight per Piece (excluding packing)	47.500 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Dimensions

Diameter	70 mm
Height	110 mm

Ambient conditions

Ambient temperature (operation)	-30 °C ... 60 °C
---------------------------------	------------------

General

Material	PA-GF
Color	black
Weight	63 g
Mounting position	any
Mounting type	Tube mounting Base mounting
Assembly instructions	Seal is supplied with
Scope of delivery	1 x seal

Mounting material - PSD-S ME BT 110 - 2700156


Technical data

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	27143200
eCl@ss 4.1	27143200
eCl@ss 5.0	27371200

Mounting material - PSD-S ME BT 110 - 2700156

Classifications

eCl@ss

eCl@ss 5.1	27371200
eCl@ss 6.0	27371200
eCl@ss 7.0	27371234
eCl@ss 8.0	27371234
eCl@ss 9.0	27371234

ETIM

ETIM 3.0	EC001259
ETIM 4.0	EC001259
ETIM 5.0	EC001259
ETIM 6.0	EC001259
ETIM 7.0	EC001259

UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	39121311
UNSPSC 12.01	39121311
UNSPSC 13.2	39121311
UNSPSC 18.0	46171604
UNSPSC 19.0	46171604
UNSPSC 20.0	46171604
UNSPSC 21.0	46171604

Approvals


Approvals

Approvals

EAC / EAC

Ex Approvals

Approval details

EAC		EAC-Zulassung
-----	-------------------------------------------------------------------------------------	---------------

Mounting material - PSD-S ME BT 110 - 2700156

Approvals

EAC



RU *-
DE.A*30.B.00237