


PRODUCT-DETAILS

6309.0017.0

KSSM-S 630 Busbar bridge



General Information

Global Commercial Alias	6309.0017.0
Extended Product Type	KSSM-S 630
Product ID	2CGX063090017
EAN	7331980003990
Catalog Description	KSSM-S 630 Busbar bridge
Long Description	Busbar bridges incl. Busbar supports for current transformer

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049
RoHS Information	2CGC0048

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369010
Country of Origin	Sweden (SE)

Popular Downloads

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	No Instructions and Manuals needed

Dimensions

Product Net Width	115 mm
Product Net Height	321 mm
Product Net Depth / Length	126 mm
Product Net Weight	2.7 kg

Technical

Conventional Thermal Current (I_{the})	630 A
Rated Insulation Voltage (U_i)	690 V
Rated Operational Voltage	500 V
Degree of Protection	acc. to IEC 60529 IP2X
Tightening Torque	20 N·m

Technical UL/CSA

Tightening Torque	20 N·m
-------------------	--------

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
REACH Declaration	2CGC0049

Container Information

Package Level 1 Units	bag 3 piece
Package Level 1 Width	320 mm
Package Level 1 Depth / Length	40 mm
Package Level 1 Height	150 mm
Package Level 1 Gross Weight	2.7 kg
Package Level 1 EAN	7331980003990

Classifications

ETIM 7	EC002270 - Accessories for busbars
ETIM 8	EC002270 - Accessories/spare parts for busbars
ETIM 9	EC002270 - Accessories/spare parts for busbars
eClass	V11.1 : 27141192
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	5451089
E-Number (Sweden)	0732647

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

