

## Pax Flex U 2/450, black, pivoting, Momento II™

Cat. Part	25-1030
Number	
EAN 13	7391477510301
SE EL (SEG)	9411514
SE VVS (RSK)	8754438
NO EL (EFO)	5810654
NO VVS (NRF)	6553182
FI VVS (LVI)	5280908
DK EL (DB)	2085669
DK VVS (VVS)	331164611
FI EL (SNRO)	8133340



- easy to reconfigure
- Momento II™ timer with the possibility of app control

**Flex U, 2 arms 450 mm individually pivotable.  
Momento II™ timer with the possibility of app  
control. 28W. Matt black finish.**


### Functions

Delay Timer, Run on Timer

### Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	28
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Wireless Control Option	Bluetooth LE
Protection ( IP )	IP 44
Heat Output, electrical products (W)	28
Unpackaged Product Width (mm)	455
Unpackaged Product Height (mm)	560
Unpackaged Product Depth (mm)	112
Material	Steel
Environmental Certificate	WEEE, REACH
Etim Code	EC003624

### Måttskiss



Flex U in matt black finish has 2 arms that are 450 mm long. The towel warmer has excellent drying capabilities. The individually pivoting U-shaped arms allow towels to hang freely in the air when needed. Construction is very sturdy, with metal consoles.

Flex U is made of chromed steel and the effect is 28W. The towel warmer can be mounted right or left-hand. The towel warmer comes complete with Momento II™ bracket for

concealed electrical installation placed at the bottom.

The built-in Momento II™ timer can be controlled via the app or manually. Via the app it is also possible to set different power levels, set schedules when the towel dryer will heat and pair with Pax Norte bathroom fan. Then the towel warmer switches on automatically when the fan's humidity sensor detects an increased humidity level, for example when you start showering.



Cat 8340-5