

PRODUCT-DETAILS

6319.0391.0

TRAFO-SD 630 Current transformer metering



General Information

Global Commercial Alias	6319.0391.0
Extended Product Type	TRAFO-SD 630
Product ID	2CGX063190391
EAN	7331980045860
Catalog Description	TRAFO-SD 630 Current transformer metering
Long Description	Complete kit for current transformer metering. 500 V, 630 A. With busbar bridges incl. busbar supports, fuse switch disconnecter SLD 000, neutral terminals ADC 25 and seal cover.

Circular Value

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CGC0049
RoHS Information	2CGC0045
SCIP	f9b8525f-360b-4796-8475-48c981449278 Sweden (SE)
Simplified SCIP	c1b8aea4-0679-4273-807e-f5e042266257 Belgium (BE) e440fb72-d137-43ad-af7b-bcce96c8613a Italy (IT) 712c518b-5f69-44af-85f7-5ab0f14fefe1 Germany (DE) 17cacaab-6469-4951-bf69-2bf1b7e381d3 Denmark (DK) 71226b74-92d8-4bc9-ab63-63a2e54f70a6 Germany (DE) 20f34add-42b3-4127-9207-79245e257de0 Croatia (HR) fdd08efc-ee7b-440c-9a54-75982995d1cc Czech Republic (CZ) 8368bc75-c158-4a7d-960e-f8b031a24474 Poland (PL)

e33e0936-6d9c-40b3-9371-51ae4629813c Netherlands (NL)
adedcb7f-5d2e-46da-836f-53b8d6988f10 Hungary (HU)
da47d8dd-f38c-403e-9f2e-ce062ecf5133 Estonia (EE)
883c3427-a099-4903-a123-bd3605e889d9 Greece (GR)
d51c6482-1738-4563-a18d-d9c46b89e8b8 France (FR)
19211dc2-550d-4562-9abc-767a5c0ee958 Norway (NO)
117300d5-d9a1-4abb-9446-3a4e39bd0470 Portugal (PT)
b688bf47-a465-4834-aae3-eb9b5fa40530 Bulgaria (BG)
81d26d50-ade1-4db6-a9a5-2e5239f61bce Sweden (SE)
f95f47df-0376-402f-8139-67d1a96f2800 Poland (PL)
a48574cb-8caa-490e-a209-1bf4d81dd41e France (FR)
ec8da2a9-33b8-4697-b772-0ba47dfc32ae Germany (DE)
304e14b3-cc4f-4516-b835-eedbbc82332c Germany (DE)
5c0452aa-a861-4354-a602-1173797eeca8 Hungary (HU)
a791bdd0-ded0-479f-9049-e9e1a2ace24a Spain (ES)
9b76c230-d8a9-4eaf-872a-1bc755dbdb4c Belgium (BE)
c7e13fd2-595a-42f8-b8d4-2626612ac2aa Poland (PL)
18c30577-ba26-4c2d-89ee-9e035454d061 Finland (FI)

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	Sweden (SE)

Popular Downloads

Data Sheet, Technical Information	2CGC0036
Instructions and Manuals	No Instructions and Manuals needed

Dimensions

Product Net Width	170 mm
Product Net Height	750 mm
Product Net Depth / Length	250 mm
Product Net Weight	5.5 kg

Technical

Degree of Protection	acc. to IEC 60529 IP2X
----------------------	------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	No declaration needed
Instructions and Manuals	No Instructions and Manuals needed
REACH Declaration	2CGC0049
RoHS Information	2CGC0045

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	170 mm
Package Level 1 Depth /	750 mm

Length	
Package Level 1 Height	250 mm
Package Level 1 Gross Weight	5.5 kg
Package Level 1 EAN	7331980045860

Classifications

ETIM 5	EC002498 - Accessories for low-voltage switch technology
ETIM 6	EC002498 - Accessories for low-voltage switch technology
ETIM 7	EC002498 - Accessories for low-voltage switch technology
ETIM 8	EC002498 - Accessories/spare parts for low-voltage switch technology
ETIM 9	EC002498 - Accessories/spare parts for low-voltage switch technology
eClass	V11.1 : 27371392
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
E-Number (Finland)	5451747
E-Number (Sweden)	0732690

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Kabeldon IP-System

