

## Pax Flex U 3/450, black, pivoting, Momento II™

Cat. Part	25-1031
Number	
EAN 13	7391477510318
SE EL (SEG)	9411515
SE VVS (RSK)	8754439
NO EL (EFO)	5810655
NO VVS (NRF)	6553183
FI VVS (LVI)	5280909
DK EL (DB)	2085711
DK VVS (VVS)	331164711
FI EL (SNRO)	8133341



- Easy to reconfigure
- Momento II™ timer with the possibility of app control
- Matt black finish

**Flex U, 3 arms 450 mm individually pivotable. Momento II™ timer with the possibility of app control. 41W. Matt black finish.**

### Functions


Delay Timer, Run on Timer

### Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	41
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Wireless Control Option	Bluetooth LE
Protection ( IP )	IP 44
Heat Output, electrical products (W)	41
Unpackaged Product Width (mm)	455
Unpackaged Product Height (mm)	760
Unpackaged Product Depth (mm)	112
Material	Steel
Environmental Certificate	WEEE, REACH
Etim Code	EC003624

### Måttskiss

Flex U3, 455x759



Flex U in matt black finish has 3 arms that are 450 mm long. The towel warmer has excellent drying capabilities. The individually pivoting U-shaped arms allow towels to hang freely in the air when needed. Construction is very sturdy, with metal consoles.

Flex U is made of chromed steel and the effect is 41W. The towel warmer can be mounted right or left-hand. The towel warmer comes complete with Momento II™ bracket for

concealed electrical installation placed at the bottom.

The built-in Momento II™ timer can be controlled via the app or manually. Via the app it is also possible to set different power levels, set schedules when the towel dryer will heat and pair with Pax Norte bathroom fan. Then the towel warmer switches on automatically when the fan's humidity sensor detects an increased humidity level, for example when you start showering.



Cat 8340-5