

Pax Flex I 4/550, pivoting, Momento II™

Cat. Part	25-2012
Number	
EAN 13	7391477520126
SE EL (SEG)	9411185
SE VVS (RSK)	8754370
NO EL (EFO)	5800650
NO VVS (NRF)	8245345
FI VVS (LVI)	5280880
DK EL (DB)	2006725
DK VVS (VVS)	331165714
FI EL (SNRO)	8133287



Flex I, pivoting arms on small space

- Pivoting arms in a small area
- Momento II™ timer with the possibility of app control

**Flex I, 4 arms 560 mm individually pivotable.
Momento II™ timer with the possibility of app
control. 40W. Chrome-plated steel.**


Functions

Run on Timer

Technical data

Installation type, wall, ceiling et.c	Wall
Max watt(W)	40
Supply Voltage (12V-400V)	230V AC
Electrical Supply Phase	1-Phase
Insulation Class	II
Wireless Control Option	Bluetooth LE
Protection (IP)	IP 44
Heat Output, electrical products (W)	40
Unpackaged Product Width (mm)	560
Unpackaged Product Height (mm)	510
Unpackaged Product Depth (mm)	112
Material	Steel
Etim Code	EC003624

Måttskiss



Flex I has individually pivoting arms that you can move as you wish, either to maximise your drying capability or to make Flex I as compact as possible. The tubes are straight, which makes it easy to hang up and take down your towels. You can order your Flex I in several configurations. Choose anything from two to six individually pivoting arms to 180°, meaning you can have it set both on the right and left.

The chrome-plated steel construction is very stable with metal brackets and the effect is 40W. The towel warmer can be mounted right or left-hand. The towel warmer comes

complete with Momento II™ bracket for concealed electrical installation placed at the bottom.

The built-in Momento II™ timer can be controlled via the app or manually. Via the app it is also possible to set different power levels, set schedules when the towel dryer will heat and pair with Pax Norte bathroom fan. Then the towel warmer switches on automatically when the fan's humidity sensor detects an increased humidity level, for example when you start showering.



Cat 8340-5