




LED Ecobasic A65 E27 20W (142W) 2452lm 840 Opal

Article number: 142597

BAI Ecobasic LED GLS A65 E27 20W 4000K Opal 2452lm (142W) 230V-240V 200° 65x133mm LED-lamp

Because these low-budget lamps are very durable due to their low consumption and long lifespan, they are both ECOlogical and ECONomic. Ambient temperature range: -20°C to +40°C.



General ETIM properties

ETIM group	Lamps
ETIM class	LED-lamp/Multi-LED
Name	LED Ecobasic A65 E27 20W (142W) 2452lm 840 Opal
Brand	Bailey
Productseries	Ecobasic LED bulb
Producttype	A65

ETIM specifications

Socket	E27
Luminous flux [lm]	2452 - 2452
Nominal voltage [V]	220 - 240
Lamp power [W]	20 - 20
Colour temperature [K]	4000 - 4000
Diameter [mm]	65
Length [mm]	133
Dimmable	No
Lamp shape	Pear-shape
Beam angle [°]	200 - 200
Colour	White
Type of glass/cover	Opal
Lamp designation	A-type
Colour rendering index CRI	80-89
Voltage type	AC
Filament lamp	No
Rated luminous flux according to IEC 62612 [lm]	2452
Power factor	0.7
Lamp efficacy [lm/W]	123
Nominal current [mA]	174 - 174
Colour of light according to EN 12464-1	Neutral white 3300-5300 K
Housing colour	White
Average nominal lifetime [h]	15000
Degree of protection (IP)	IP20
Energy Efficiency Index (EEI)	0.11
Energy efficiency class	E
Colour consistency (McAdam ellipse)	SDCM6
Min. number of switching cycles	10000
Weighted energy consumption in 1000 hours [kWh]	20
Remote operation possible	No
With movement sensor	No
With remote control	No
Photobiological safety according to EN 62471	RG1
Compatible with Apple HomeKit	No
Compatible with Google Assistant	No
Compatible with Amazon Alexa	No
IFTTT support available	No
Suitable for electronic ballast	No
Suitable for magnetic ballast	No
Dimming phase cut-off (trailing edge)	No
Dimming phase cut-on (leading edge)	No

Dimming Touch and Dim	No
Dimming Zigbee	No
Dimming Bluetooth	No
Dimming Wi-Fi	No
No dim function	Yes
Energy efficiency class according to EU regulation 2019/2015	E
With twilight switch	No
Material of light bulb	Plastic

Alternative articles



145400
LED Corn Switch E27 12W-27W
1400lm-3300lm 3000K-5000K

Complementary articles



140440
Surge Protection Device (SPD)
10KV 110-277V IP65